Index of Authors

Al-Busaidy, S. M. and Mellor, P. S. Epidemiology of bluetongue and related orbiviruses in the Sultanate of Oman, 167

Al-Busaidy, S. M. and Mellor, P. S. Isolation and identification of arboviruses from the Sultanate of Oman, 403

Aly, F. Z., Blackwell, C. C., MacKenzie, D. A. C., Weir, D. M., Elton, R. A., Cumming, C. G., Sofaer, J. A. and Clarke, B. F. Chronic atrophic oral candidiasis among patients with diabetes mellitus – role of secretor status, 355

Amyes, S. G. B. *see* Towner, K. J.

Arimitsu, Y. *see* Cui, J. J.

Avendaño, L. F. *see* Fernández, J.

Badran, N. *see* Pazzaglia, G.

Barton, S. A. *see* Smith, G. R.

Baskerville, A. *see* Humphrey, T. J.

Beard-Pegler, M. A. *see* Gabelish, C.

Bennett, S. and Everard, C. O. R. Absence of epidemicity of severe leptospirosis in Barbados, 151

Benn, R. *see* Gabelish, C.

Bes, M. *see* Etienne, J.

Bhopal, R. S. and Fallon, R. J. Variation in time and space of non-outbreak Legionnaires' disease in Scotland, 45

Bingen, E. *see* Denamur, E.

Blackwell, C. C. *see* Aly, F. Z.

Blackwell, C. C. *see* Mentis, A.

Board, R. G. *see* Clay, C. E.

Boned, J. *see* Hamblin, C.

Bourgeois, A. L. *see* Pazzaglia, G.

Boyle, H. C. F. *see* Maguire, H. C. F.

Brown, D. J., Threlfall, E. J. and Rowe, B. Instability of multiple drug resistance plasmids in *Salmonella typhimurium* isolated from poultry, 247

Bruce, J. *see* Maguire, H. C. F.

Brun, Y. *see* Etienne, J.

Brüssow, H. and Sidoti, J. Antibody to serotype 8 rotavirus in Ecuadorian and German children, 415

Buttery, R. *see* Warburten, A. R. E.

Carter, G. I. *see* Towner, K. J.

Cartwright, K. A. V., Stuart, J. M. and Robinson, P. M. Meningococcal carriage in close contacts of cases, 133

Caugant, D. A. *see* Mastrantonio, P.

Chang, K. C. K. *see* Cheung, W. H. S.

Charpin, B. *see* Etienne, J.

Chart, H. *see* Humphrey, T. J.

Cheasty, T. *see* McConnell, M. M.

Chen, T. Z. *see* Cui, J. J.

Cheung, W. H. S., Chang, K. C. K. and Hung, R. P. S. Variations in microbial indicator densities in beach waters and health-related assessment of bathing water quality, 329

Cheung, W. H. S., Ha, D. K. K., Yeung, K. Y. and Hung, R. P. S. Methods for enumerating *Escherichia coli* in subtropical waters, 345

Clarke, B. F. *see* Aly, F. Z.

Clarke, R. C. *see* Poppe, C.

Clay, C. E. and Board, R. G. Growth of *Salmonella enteritidis* in artificially contaminated hens' shell eggs, 271

COLMAN, G. *see* DONALD, F. E.
CONGIU, M. E. *see* MASTRANTONIO, P.
CORNELIS, R. *see* WALCKIERS, D.
COUTURIER, M. *see* POHL, P.
CUBILLO, M. A. *see* HAMBLIN, C.
CUI, J. J., XIAO, G. X., CHEN, T. Z., ZHU, G. F., SATO, T., SEKI, M., KOBAYASHI S. and ARIMITSU, Y. Further evaluation of one-point microcapsule agglutination test for diagnosis of leptospirosis, 561
CUMMING, C. G. *see* ALY, F. Z.

DAILIANAS, A. *see* MENTIS, A.
DAS, P. *see* SEN GUPTA, P. G.
DEB, B. C. *see* SEN GUPTA, P. G.
DENAMUR, E., PICARD, B., GOULLET, PH., BINGEN, E., LAMBERT, N. and ELION, J. Complexity of *Pseudomonas aeruginosa* infection in cystic fibrosis: combined results from esterase electrophoresis and rDNA restriction fragment length polymorphism analysis, 531
DIMMOCK, N. J. *see* OUTLAW, M. C.
DIWANY, K. EL *see* PAZZAGLIA, G.
DJURHUUS, B. *see* OLSEN, S. F.
DONALD, F. E., SLACK, R. C. B. and COLMAN, G. *Streptococcus pyogenes* vulvovaginitis in children in Nottingham, 459
DUCK, D. *see* KHAKHRIA, R.
DUMAS, A. S. *see* PAPACHRISTOU, A. A.

ELION, E. *see* DENAMUR, E.
ELTON, R. A. *see* ALY, F. Z.
ENGVALL, M. *see* LUNDSTRÖM, J. O.
ESPMARK, Å. *see* LUNDSTRÖM, J. O.
ETIENNE, J., CHARPIN, B., GRANDO, J., BRUN, Y., BES, M. and FLEURETTE, J. Characterization of clinically significant isolates of *Staphylococcus epidermidis* from patients with cerebrospinal fluid shunt infections, 467
EVERARD, C. O. R. *see* BENNETT, S.
EWALD, P. W. Waterborne transmission and the evolution of virulence among gastrointestinal bacteria, 83

FALLON, R. J. *see* BHOPAL, R. S.
FERNANDEZ-CREHUET, M. *see* MELLADO, M.
FERNÁNDEZ, J., SANDINO, A. M., PIZARRO, J., AVENDAÑO, L. F., PIZARRO, J. M. and SPENCER, E. Characterization of rotavirus electropherotypes excreted by symptomatic and asymptomatic infants, 189
FLEURETTE, J. *see* ETIENNE, J.
FORBES, G. I. *see* REILLY, W. J.
FORSBERG, C. M. *see* POPPE, C.
FREEMAN, R., GOULD, F. K., WILKINSON, R., WARD, A. C., LIGHTFOOT, N. F. and SISSON, P. R. Rapid inter-strain comparison by pyrolysis mass spectrometry of coagulase-negative staphylococci from persistent CAPD peritonitis, 239
FREIMAN, J. S. *see* MURRAY, S. M.

GABELISH, C., HARBOUR, C., BEARD-PEGLER, M. A., STUBBS, E., STEFFE, R., LARGE, M., VICKERY, A. and BENN, R. Serological typing of coagulase-negative staphylococci using monoclonal antibodies, 231
GALVEZ-VARGAS, R. *see* MELLADO, M. C.
GAWLER, A. H. L. *see* HUMPHREY, T. J.
GEERTSMA, D. G. *see* MEIJER, B. C.
GHOSH, S. *see* SEN GUPTA, P. G.
GOULD, F. K. *see* FREEMAN, R.
GOULLET, PH. *see* DENAMUR, E.
GRAHAM, S. D. *see* HAMBLIN, C.
GRANDO, J. *see* ETIENNE, J.

GUPTA, D. N. *see* SEN GUPTA, P. G.

HA, D. K. K. *see* CHEUNG, W. H. S.
HABLAS, R. *see* PAZZAGLIA, G.
HAMBLIN, C., MELLOR, P. S., GRAHAM, S. D., HOOGHUIS, H., MONTEJANO, R. C., CUBILLO, M. A. and BONED, J. Antibodies in horses, mules and donkeys following monovalent vaccination against African horse sickness, 365
HAMPSON, D. J. Slide-agglutination for rapid serological typing of *Treponema hyodysenteriae*, 541
HARBOUR, C. *see* GABELISH, C.
HEFFERNAN, H. M. Antibiotic resistance among salmonella from human and other sources in New Zealand, 17
HENLEY, A. *see* HUMPHREY, T. J.
HIBBERD, M. L. *see* MCCONNELL, M. M.
HOOGHIUS, H. *see* HAMBLIN, C.
HUMPHREY, T. J., CHART, H., BASKERVILLE, A. and ROWE, B. The influence of age on the response of SPF hens to infection with *Salmonella enteritidis* PT4, 33
HUMPHREY, T. J., WHITEHEAD, A., GAWLER, A. H. L., HENLEY, A. and ROWE, B. Numbers of *Salmonella enteritidis* in the contents of naturally contaminated hens' eggs, 489
HUNG, R. P. S. *see* CHEUNG, W. H. S.

IRWIN, R. J. *see* POPPE, C.

JACOB, M. *see* MAGUIRE, H. C. F.
JOENSEN, H. D. *see* OLSEN, S. F.

KATSOUYANNOPOULOS, V. C. *see* PAPACHRISTOU, A. A.
KATZENELSON, E. *see* SECHTER, I.
KHAKHRIA, R., DUCK, D. and LIOR, H. Distribution of *Salmonella enteritidis* types of Canada, 25
KOBAYASHI, S. *see* CUI, J. J.
KOOTSTRA, G. J. *see* MEIJER, B. C.
KUMARESAN, J. A. *see* TRUMAN, R. W.

LAMBERT, N. *see* DENAMUR, E.
LARGE, M. *see* GABELISH, C.
LARSEN, S. O. *see* OLSEN, S. F.
LEMAN, P. A. *see* SHEPHERD, A. J.
LEWIS, M. J. *see* MAGUIRE, H. C. F.
LIGHTFOOT, N. F. *see* FREEMAN, R.
LIND, I. *see* OLSEN, S. F.
LINTERMANS, P. *see* POHL, P.
LION, J. *see* WALCKIERS, D.
LIOR, H. *see* KHAKHRIA, R.
LIOR, H. *see* ROWE, P. C.
LOPEZ-GIGOSOS, R. *see* MELLADO, M.
LUNA, J. D. *see* MELLADO, M. C.
LUNDSTRÖM, J. O., VENE, S., ESPMARK, Å., ENGVALL, M. and NIKLASSON, B. Geographical and temporal distribution of Ockelbo diseases in Sweden, 567

MCCONNELL, M. M., HIBBERD, M. L., PENNY, M. E., SCOTLAND, S. M., CHEASTY, T. and ROWE, B. Surveys of human enterotoxigenic *Escherichia coli* from three different geographical areas for possible colonization factors, 477
MCDONOUGH, C. M. *see* TRUMAN, R. W.
MACGOWAN, A. P., MARSHALL, R. J., MACKAY, I. M. and REEVES, D. S. Listeria faecal carriage by renal transplant recipients, haemodialysis patients and patients in general practice: its relation to season, drug therapy, foreign travel, animal exposure and diet, 157
MACKAY, I. M. *see* MACGOWAN, A. P.
MACKENZIE, A. M. *see* ROWE, P. C.

MacKenzie, D. A. C. *see* Aly, F. Z.
Maguire, H. C. F., Boyle, M., Lewis, M. J., Pankhurst, J., Wieneke, A. A., Jacob, M., Bruce, J. and O'Mahony, M. A large outbreak of food poisoning of unknown aetiology associated with Stilton cheese, 497
Marin, M. *see* Pohl, P.
Mariscal, A. *see* Mellado, M. C.
Marshall, R. J. *see* MacGowan, A. P.
Mastrantonio, P., Congiu, M. E., Selander, R. K. and Caugant, D. A. Genetic relationships among strains of *Neisseria meningitidis* causing disease in Italy, 1984–7, 143
Mathee, O. *see* Shepherd, A. J.
Meijer, B. C., Kootstra, G. J., Geertsma, D. G. and Wilkinson, M. H. F. Effects of ceftriaxone on faecal flora: analysis by micromorphometry, 513
Mellado, M. C., Rodríguez-Contreras, R., Fernandez-Crehuet, M., Lopez-Gigosos, R., Rodriguez, M. Delgado and Galvez-Vargas, R. Endotoxin liberation by strains of *N. meningitidis* isolated from patients and healthy carriers, 289
Mellado, M. C., Rodríguez-Contreras, R., Mariscal, A., Luna, J. D., Rodríguez, M. Delgado and Galvez-Vargas, R. Effect of penicillin and chloramphenicol on the growth and endotoxin release by *N. meningitidis*, 283
Mellor, P. S. *see* Al-Busaidy, S. M.
Mellor, P. S. *see* Hamblin, C.
Mentis, A., Blackwell, C. C., Weir, D. M., Spiliadis, C., Dailianas, A. and Skandalis, N. ABO blood group, secretor status and detection of *Helicobacter pylori* among patients with gastric or duodenal ulcers, 221
Mims, C. A. Special Article. The origin of major human infections and the crucial role of person-to-person spread, 423
Mondal, S. *see* Sen Gupta, P. G.
Montejano, R. C. *see* Hamblin, C.
Mulgrave, L. The changing ecology of hospital bacteria and the selective role of cephalosporins, 121
Munro, D. S. *see* Reilly, W. J.
Murray, S. M., Freiman, J. S., Vickery, K., Lim, D., Cossart, Y. E. and Whiteley, R. K. Duck hepatitis B virus: a model to assess efficacy of disinfectants against hepadnavirus infectivity, 435

Nair, G. B. *see* Sen Gupta, P. G.
Nakajima, K. *see* Nakajima, S.
Nakajima, S., Nakamura, K., Nishikawa, F. and Nakajima, K. Genetic relationship between the HA genes of type A influenza viruses isolated in off-seasons and later epidemic seasons, 383
Nakamura, K. *see* Nakajima, S.
Niklasson, B. *see* Lundström, J. O.
Nishikawa, F. *see* Nakajima, S.
Nour, N. *see* Pazzaglia, G.

Oboegbulem, S. I. *see* Reilly, W. J.
Ockelbo, Geographical and temporal distribution of, disease in Sweden, 567
Oggel, J. *see* Poppe, C.
Olsen, S. F., Djurhuus, B., Rasmussen, K., Joensen, H. D., Larsen, S. O., Zoffman, H. and Lind, I. Pharyngeal carriage of *Neisseria meningitis* and *Neisseria lactamica* in households with infants within areas with high and low incidences of meningococcal disease, 445
O'Mahony, M. *see* Maguire, H. C. F.
Outlaw, M. C. and Dimmock, N. J. Special Article. Insights into neutralization of animal viruses gained from study of influenza virus, 205

Pal, S. C. *see* Sen Gupta, P. G.
Pankhurst, J. *see* Maguire, H. C. F.
Papachristou, A. A., Dumas, A. S. and Katsouyannopoulos, V. C. Dissociation of alanine aminotransferase values in acute hepatitis A patients with and without past experience to the hepatitis B virus, 397

PARRY, J. V. *see* WARBURTON, A. R. E.
PAZZAGLIA, G., BOURGEOIS, A. L., DIWANY, K. EL, NOUR, N., BADRAN, N. and HABLAS, R. Campylobacter diarrhoea and an association of recent disease with asymptomatic shedding in Egyptian children, 77
PENNY, M. E. *see* MCCONNELL, M. M.
PERRY, K. R. *see* WARBURTON, A. R. E.
PICARD, B. *see* DENAMUR, E.
PIZARRO, J. M. *see* FERNÁNDEZ, J.
POHL, P., LINTERMANS, P., MARTIN, M. and COUTURIER, M. Epidemiological study of *Salmonella enteritidis* strains of animal origin in Belgium, 11
POPPE, C., IRWIN, R. J., FORSBERG, C. M., CLARKE, R. C. and OGGEL, J. The prevalence of *Salmonella enteritidis* and other *Salmonella* spp. among Canadian registered commercial layer flocks, 259

RAMPLING, A. *see* WARBURTON, A. R. E.
RASMUSSEN, K. *see* OLSEN, S. F.
REEVES, D. S. *see* MACGOWAN, A. P.
REILLY, W. J., OBOEGBULEM, S. I., MUNRO, D. S. and FORBES, G. I. The epidemiological relationship between salmonella isolated from poultry meat and sewage effluents at a long-stay hospital, 1
REISFELD, A. *see* SECHTER, I.
RILEY, T. V. *see* SCHNEIDER, P. F.
ROBINSON, P. M. *see* CARTWRIGHT, K. A. V.
RODRÍGUEZ, M. DELGADO *see* MELLADO, M. C.
RODRÍGUEZ-CONTRERAS, R. *see* MELLADO, M. C.
ROWE, B. *see* BROWN, D. J.
ROWE, B. *see* HUMPHREY, T. J.
ROWE, B. *see* MCCONNELL, M. M.
ROWE, P. C., WALOP, W., LIOR, H. and MACKENZIE, A. M. Haemolytic anaemia after childhood *Escherichia coli* O 157.H7 infection: are females at increased risk? 523

SAHA, N. C. *see* SEN GUPTA, P. G.
SANDINO, A. M. *see* FERNÁNDEZ, J.
SARKAR, R. K. *see* SEN GUPTA, P. G.
SATO, T. *see* CUI, J. J.
SCHNEIDER, P. F. and RILEY, T. V. Cell-surface hydrophobicity of *Staphylococcus saprophyticus*, 71
SCOTLAND, S. M. *see* MCCONNELL, M. M.
SECHTER, I., KATZENELSON, E. and REISFELD, A. Salmonella serovars (others than Typhi and Paratyphi) from extra-intestinal sources, Israel, 1984–9, 485
SEKI, M. *see* CUI, J. J.
SELANDER, R. K. *see* MASTRANTONIO, P.
SEN, D. *see* SEN GUPTA, P. G.
SEN GUPTA, P. G., NAIR, G. B., MONDAL, S., GUPTA, D. N., SEN, D., SIKDAR, S. N., DAS, P., SARKAR, R. K., GHOSH, S., SAHA, N. C., DEB, B. C. and PAL, S. C. Epidemiology of campylobacteriosis in a cohort of rural population near Calcutta, 507
SHEPHARD, A. J., SWANEPOEL, R., SHEPHERD, S. P., LEMAN, P. A. and MATHEE, O. Viraemic transmission of Crimean-Congo haemorrhagic fever virus to ticks, 373
SHEPHERD, S. P. *see* SHEPHERD, A. J.
SIDOTI, J. *see* BRÜSSOW, H.
SIKDAR, S. N. *see* SEN GUPTA, P. G.
SISSON, P. R. *see* FREEMAN, R.
SKANDALIS, N. *see* MENTIS, A.
SLACK, R. C. *see* DONALD, F. E.
SMITH, G. R., BARTON, S. A. and WALLACE, L. M. A sensitive method for isolating *Fusobacterium necrophorum* from faeces, 311
SMITH, G. R., BARTON, S. A. and WALLACE, L. M. Further observations on enhancement of the infectivity of *Fusobacterium necrophorum* by other bacteria, 305
SOFAER, J. A. *see* ALY, F. Z.

Spencer, E. *see* Fernández, J.
Spiliadis, C. *see* Mentis, A.
Steffe, R. *see* Gabelish, C.
Stroobant, A. *see* Walckiers, D.
Stuart, J. M. *see* Cartwright, K. A. V.
Stubbs, E. *see* Gabelish, C.
Swanepoel, R. *see* Shepherd, A. J.
Swanepoel, R. *see* Whistler, T.

Tebbutt, G. M. An assessment of cleaning and sampling methods for food-contact surfaces in premises preparing and selling high-risk foods, 319
Threlfall, E. J. *see* Brown, D. J.
Towner, K. J., Carter, G. I., Young, H.-K. and Amyes, S. G. B. Detection of novel trimethoprim resistance determinants in the United Kingdom using biotin-labelled DNA probes, 63
Truman, R. W., Kumaresan, J. A., McDonough, C. M., Job, C. K. and Hastings, R. C. Seasonal and spatial trends in the detectability of leprosy in wild armadillos, 549

Vene, S. *see* Lundström, J. O.
Vickery, A. *see* Gabelish, C.
Vickery, K. *see* Murray, S. M.

Walckiers, D., Stroobant, A., Yourassowsky, E., Lion, J. and Cornelis, R. A sentinel network of microbiological laboratories as a tool for surveillance of infectious diseases in Belgium, 297
Wallace, L. M. *see* Smith, G. R.
Walop, W. *see* Rowe, P. C.
Warburton, A. R. E., Wreghitt, T. G., Rampling, A., Buttery, R., Ward, K. N., Perry, K. R. and Parry, J. V. Hepatitis A outbreak involving bread, 199
Ward, A. C. *see* Freeman, R.
Ward, K. N. *see* Warburton, A. R. E.
Weir, D. M. *see* Aly, F. Z.
Weir, D. M. *see* Mentis, A.
Whistler, T. and Swanepoel, R. Teratogenicity of the Palyam serogroup orbiviruses in the embryonated chicken egg model, 179
Whitehead, A. *see* Humphrey, T. J.
Wieneke, A. A. *see* Maguire, H. C. F.
Wilkinson, M. H. F. *see* Meijer, B. C.
Wilkinson, R. *see* Freeman, R.
Wreghitt, T. G. *see* Warburton, A. R. E.

Xiao, G. X. *see* Cui, J. J.

Yeung, K. Y. *see* Cheung, W. H. S.
Young, H.-K. *see* Towner, K. J.
Yourassowsky, E. *see* Walckiers, D.

Zhu, G. F. *see* Cui, J. J.
Zoffman, H. *see* Olsen, S. F.

Index of Subjects

African horse sickness, antibodies in horses, mules and donkeys following monovalent vaccination against, 365
Arboviruses, isolation and identification of, from the Sultanate of Oman, 403

Beach waters, variations in microbial indicator densities in, and health-related assessment of bathing water quality, 329
Blood group, ABO, secretor status and detection of *Helicobacter pylori* among patients with gastric or duodenal ulcers, 221
Bluetongue, epidemiology of, and related orbiviruses in the Sultanate of Oman, 167

Campylobacter diarrhoea and an association of recent disease with asymptomatic shedding in Egyptian children, 77
Campylobacteriosis, epidemiology of, in a cohort of rural population near Calcutta, 507
Candidiasis, chronic atrophic oral, among patients with diabetes mellitus – role of secretor status, 355
Ceftriaxone, effects of, on faecal flora: analysis by micromorphometry, 513
Cehalosporins, the changing ecology of hospital bacteria and the selective role of, 121
Cerebrospinal fluid, characterization of clinically significant isolates of *Staphylococcus epidermidis* from patients with, shunt infections, 467
Cheese, a large outbreak of food poisoning of unknown aetiology associated with Stilton, 497
Cleaning, an assessment of, and sampling methods for food-contact surfaces in premises preparing and selling high-risk foods, 319
Crimean-Congo haemorrhagic fever, viraemic transmission of, virus to ticks, 373
Cystic fibrosis, complexity of *Pseudomonas aeruginosa* infection in: combined results from esterase electrophoresis and rDNA restriction fragment length polymorphism analysis, 531

Escherichia coli, methods for enumerating, in subtropical waters, 345
Escherichia coli, surveys of human enterotoxigenic, from three different geographical areas for possible colonization factors, 477

Faecal flora, effects of ceftriaxone on, analysis by micromorphometry, 513
Further evaluation of one-point microcapsule agglutination test for diagnosis of leptospirosis, 561
Fusobacterium necrophorum, a sensitive method for isolating, from faeces, 311
Fusobacterium necrophorum, further observations on enhancement of the infectivity of, by other bacteria, 305

Helicobacter pylori, ABO blood group, secretor status and detection of, among patients with gastric or duodenal ulcers, 221
Hens, the influence of age on the response of SPF, to infection with *Salmonella enteritidis* PT4, 33
Hepatitis A, dissociation of alanine aminotransferase values in acute, patients with and without past experience to the hepatitis B virus, 397
Hepatitis B, dissociation of alanine aminotransferase values in acute hepatitis A patients with and without past experience to the, virus, 397
Hepatitis B vaccination. Editor's note, 421

Influenza, genetic relationship between the HA genes of type A, viruses isolated in off-seasons and later epidemic seasons, 383
Influenza, insights into neutralization of animal viruses gained from study of, viruses, 205

Legionnaires' disease, variation in time and space of non-outbreak, in Scotland, 45

Leptospirosis, absence of epidemicity of severe, in Barbados, 151
Listeria faecal carriage by renal transplant recipients, haemodialysis patients and patients in general: its relation to season, drug therapy, foreign travel, animal exposure and diet, 157

Meningococcal carriage in close contacts with cases, 133

Neisseria lactamica, pharyngeal carriage of *Neisseria meningitidis* and, in households with infants within areas with high and low incidences of meningococcal disease, 445
Neisseria meningitidis, genetic relationships among strains of, causing disease in Italy, 1984–7, 143
Neisseria meningitidis, pharyngeal carriage of, and *Neisseria lactamica* in households with infants within areas with high and low incidences of meningococcal disease, 445
Neutralization, insights into, of animal viruses gained from study of influenza viruses, 205
N. meningitidis, effect of penicillin and chloramphenicol on the growth and endotoxin release by, 283
N. meningitidis, endotoxin liberation by strains of, isolated from patients and healthy carriers, 289

Orbiviruses, epidemiology of bluetongue and related, in the Sultanate of Oman, 167
Orbiviruses, teratogenicity of the Palyam serogroup, in the embryonated chicken egg model, 179
Origin, the, of major human infections and the crucial role of person-to-person spread, 423

Person-to-person, the origin of major infections and the crucial role of, 423
Poultry, the epidemiological relationship between salmonella isolated from, meat and sewage effluents at a long-stay hospital, 1
Pseudomonas aeruginosa, complexity of, infection in cystic fibrosis: combined results from esterase electrophoresis and rDNA restriction fragment length polymorphism analysis, 531

Rotaviruses, antibody to serotype 8, in Ecuadorian and German children, 415
Rotavirus, characterization of, electropherotypes excreted by symptomatic and asymptomatic infants, 189

Salmonella, antibiotic resistance among, from human and other sources in New Zealand, 17
Salmonella enteritidis, distribution of, phage types in Canada, 25
Salmonella enteritidis, epidemiological study of, strains of animal origin in Belgium, 11
Salmonella enteritidis, growth of, in artificially contaminated hens' shell eggs, 271
Salmonella enteritidis, numbers of, in the contents of naturally contaminated hens' eggs, 480
Salmonella enteritidis, the influence of age on the response of SPF hens to infection with, PT4, 33
Salmonella enteritidis, the prevalence of, and other *Salmonella* spp. among Canadian registered commercial flocks, 259
Salmonella serovars (other than Typhi and Paratyphi) from extra-intestinal sources. Israel, 1984–9, 485
Salmonella, the epidemiological relationship between isolated from poultry meat and sewage effluents at a long-stay hospital, 1
Salmonella typhimurium, instability of multiple drug resistance plasmids in, isolated from poultry, 247
Staphylococcus epidermidis, characterization of clinically significant isolates of, from patients with cerebrospinal fluid shunt infections, 467
Staphylococcus saphrophyticus, cell-surface hydrophobicity of, 71
Staphylococci, rapid inter-strain comparison by pyrolysis mass spectrometry of coagulase-negative, from persistent CAPD peritonitis, 239
Staphylococci, serological typing of coagulase-negative, using monoclonal antibodies, 231
Streptococcus pyogenes vulvovaginitis in children in Nottingham, 459
Surveillance, a sentinel network of microbiological laboratories as a tool for, of infectious diseases in Belgium, 297

Trimethoprim, detection of novel, resistance determinants in the United Kingdom using biotin-labelled DNA probes, 63

Vulvovaginitis, *Streptococcus pyogenes*, in children in Nottingham, 459

Waterborne transmission and the evolution of virulence among gastro-intestinal bacteria, 83